

**MATERIAL SAFETY DATA SHEET**

\*\*\*\*\* SECTION I - IDENTIFICATION \*\*\*\*\*

DATE: January 2006

PRODUCT NAME: EAGLEBAN FRC-1235

SUPPLIER'S NAME: EAGLE PERFORMANCE PRODUCTS  
ADDRESS: PO Box 1177, 340 Beamer Road  
Calhoun, GA 30703-1177  
EMERG. TEL. #: (770) 394-9455

FORMULA: BROMINATED/CHLORINATED COMPOUND WITH PHOSPHATE IN A  
LATEX SYSTEM

\*\*\*\*\* SECTION II - INGREDIENTS \*\*\*\*\*

All components are listed on the TSCA inventory

VOC is below accurate reportable limits and considered Zero by  
current industry and Government Standards.

SARA TITLE III, SECTION 313, SUPPLIER NOTIFICATION. This product  
contains the following toxic chemicals subject to the reporting  
requirements of the Emergency Planning and Community Right-To-Know  
Act of 1986 and of CFR 372:

NONE

This information must be included in all MSDS's that are copied and  
distributed for this material.

\*\*\*\*\* SECTION III - PHYSICAL DATA \*\*\*\*\*

PHYSICAL FORM .....: LIQUID  
COLOR .....: WHITE  
ODOR .....: Faint aromatic odor  
pH .....: 8.5 - 9.5  
BOILING POINT .....: 100°C  
MELTING POINT .....: N/A  
SPECIFIC GRAVITY .....: 1.7  
VAPOR DENSITY (Air=1) .....: N/A  
VAPOR PRESSURE .....: N/A  
SOLUBILITY IN WATER .....: YES  
TOTAL SOLIDS .....: 50 -52%

\*\*\*\*\* SECTION IV - FIRE AND EXPLOSION DATA \*\*\*\*\*

NFPA HAZARD RATING: Health: 1  
Flammability: 0  
Reactivity: 0

Scale: 0=Minimal; 1=Slight; 2=Moderate; 3=Serious; 4=Severe

FLASH POINT: Non-flammable. Use is as a flame retardant.

EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, water spray or foam.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Do not breathe smoke or fumes.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None.

**\*\*\*\*\* SECTION V - HEALTH HAZARD DATA \*\*\*\*\***

EXPOSURE LIMITS: NA

TOXICITY DATA: NA

CARCINOGENICITY: Product is not listed by NTP, IARC or OSHA

PRIMARY ROUTE (S) OF EXPOSURE: Skin/eye contact

ACUTE EFFECTS FROM EXPOSURE: May cause moderate irritation in eyes. May cause moderate skin irritation.

CHRONIC EFFECTS FROM EXPOSURE: Not known.

**\*\*\*\*\* SECTION VI - EMERGENCY AND FIRST AID PROCEDURES \*\*\*\*\***

INHALATION: Remove to fresh air. If breathing is difficult, give oxygen. Call a physician.

EYE CONTACT: Immediately flush eyes with running water for at least 15 minutes. Insure complete flushing by holding the eyelids apart during irrigation. Call a physician for further instruction.

SKIN CONTACT: Immediately remove contaminated clothing. Wash affected area thoroughly with soap and water. Call a physician if irritation develops or persists.

INGESTION: Give 2-3 glasses of water. Induce vomiting. Call a physician.

**\*\*\*\*\* SECTION VII - REACTIVITY DATA \*\*\*\*\***

CONDITIONS CONTRIBUTING TO INSTABILITY: Stable, however avoid high temperatures and alkalis.

INCOMPATIBILITY: None expected.

HAZARDOUS DECOMPOSITION PRODUCTS: BROMINE, CHLORINE, CARBON DIOXIDE, CARBON MONOXIDE AND HYDROCARBONS AND TOXIC FUMES.

\*\*\*\*\* SECTION VIII - ENVIRONMENTAL PROTECTION \*\*\*\*\*

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Stop any leakage, if possible without risk. Use sand or other absorbent to contain the spill, then scoop into a container for disposal.

WASTE DISPOSAL METHOD: Dispose of in accordance with federal, state, and local laws.

\*\*\*\*\* SECTION IX - EMPLOYEE PROTECTION \*\*\*\*\*

VENTILATION: Local exhaust ventilation sufficient to maintain the employee exposure level as far below the OSHA limit as possible.

PERSONAL PROTECTIVE EQUIPMENT: 1) Chemical goggles or safety glasses. 2) Gloves. 3) A NIOSH/MSHA approved respirator as necessary for dust. 4) Protective clothing as necessary to prevent skin contact.

\*\*\*\*\* SECTION X - SPECIAL PRECAUTIONS \*\*\*\*\*

Avoid eye, skin and clothing contact. Keep hands away from face. Avoid breathing dusts or mists. Use with adequate ventilation. Keep container closed when not in use. Wash thoroughly after handling. Store in dry, well-ventilated area. Change clothing if exposed to heavy dusts or spillage; clothing should be laundered before reuse.

\*\*\*\*\* SECTION XI - TRANSPORTATION REQUIREMENTS \*\*\*\*\*

DOT CLASSIFICATION: Not DOT regulated materials.

DOT Labels: None Required

UN/NA HAZARD NUMBER:

\*\*\*\*\*

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control, we make no warranties, expressed or implied, except those that may be contained on our written contract of sale or acknowledgment.

No purchase or sales agreement or contract of any other nature shall be binding upon Eagle Performance Products unless executed by the PRESIDENT of Eagle Performance Products and the corporate seal affixed thereto.

\*\*\*\*\*