



REDUCE ECHO AND CONTROL REVERBERATION

Fabric Panels by NetWell are designed to solve your acoustical needs while enhancing the aesthetic look of your space.

With a variety of options to choose from including sizes, shapes, fabrics and colors it is easy to create the perfect solution for your reverberation sound problems.





controlnoise.com/fabric-panels

FEATURES:

- High-quality, economical, multi-purpose panels
- Excellent acoustical performance
- · Class A fire rated
- Standard, designer or C.O.M fabric
- Various mounting options
- Custom sizes and shapes

APPLICATIONS:

- Schools/universities
- Auditoriums
- Gymnasiums
- · Houses of worship
- Office spaces
- Theaters/studios
- Multi-purpose rooms
- · Conference rooms
- Restaurants

FABRIC PANELS PRODUCT SPECS





SIZING


All panels are custom made with standard sizes up to $4' \times 10'$ with thicknesses ranging from 1/2'' to 4''. Please inquire for panels larger than $4' \times 10'$.

FINISHES

Guilford of Maine FR701-2100 is the industry standard. Hundreds of approved decorative fabrics are also available from numerous manufacturers including, but not limited to: Guilford of Maine, Maharam, Designtex and Knoll. Customers may also specify their own fabric, provided the material meets manufacturing requirements.

EDGE DETAIL

A chemically hardened square edge comes standard on all panels unless otherwise requested.







ACOUSTICAL PERFORMANCE

1/3 Octave Sound Absorption Coefficients at the Octave Band Frequencies							
Frequency (Hz)	125	250	500	1K	2K	4K	NRC
1/2"Thick	0.12	0.48	0.71	0.77	0.71	0.58	0.65
1″Thick	0.13	0.24	0.77	1.08	1.15	1.07	0.80
2″Thick	0.22	0.81	1.24	1.30	1.21	1.16	1.15
3" Thick	0.49	1.03	1.29	1.34	1.23	1.17	1.20

Tested as Type "E" Mounting

HARDWARE AND INSTALLATION

FABRIC PANEL MOUNTING OPTIONS

- Impaling Clips (A)
- Rotofast Snap-On Anchors (B)
- Z-Clips + Wall Brackets (choice of 3" or panel-width) (C)

For more detailed installation instructions, visit our installation page at **controlnoise.com/installation**.







PHONE: 1-800-638-9355 EMAIL: help@controlnoise.com WEB: www.controlnoise.com